




Tangshan UMG Medical Instrument Co., Ltd

EMAIL:info@umgroupen.com

UM-S01




- 1.Environmentally-friendly plastic shell
- 2.5w high power led
- 3. High transparent glass fibers
- 4. Three working mode selection strong, gradually strong, flashing
- 5. Automatic standby, automatic shutdown
- 6. Low battery warning
- 7. Ultra-high capacity lithium battery
- 8. For all brands of resin materials
- 9. Battery voltage: 3.7-4.2V
- 10. Wavelength: 420-480nm
- 11. Illumination: 1200-1500mw/cm2
- 12.Color: yellow,blue,silver, black, green, red







UM-S02



Curing Light

- 1.Bright aluminum alloy shell
- 2.5w high power led
- 3. High transparent glass fibers
- 4. Three working mode selection strong, gradually strong, flashing
- 5. Automatic standby, automatic shutdown
- 6. Low battery warning
- 7. Ultra-high capacity lithium battery
- 8. For all brands of resin materials
- 9. Battery voltage: 3.7-4.2V
- 10. Wavelength: 420-480nm
- 11. Illumination: 1200-1500mw/cm2
- 12.Color: gold, siliver, purple, black, blue,

pink



Model	Symbol	Function
01		Strong Light
02		Weakening
03	IMI	Pulse













- 1.Battery voltage:3.7V
- 2.Capability of battery: 1500mAh
- 3.Light intensity:1200-2000mw/cn
- 4.Light wavelength:420-480nm
- 5. Solid time and depth: 5s/3mm







- 1.Environmentally-friendly white **plastic shell**
- 2.10w high power led
- 3.1 second curing
- 4.Large capacity lithium battery
- 5.Three working mode selection strong, gradually strong, flashing
- 6. Battery voltage: 3.7
- 7. Wavelength: 420-480nm
- 8. Illumination: >2000mW/cm2
- 9.Color: white





UMLY-03



Curing Light

1.Battery voltage:3.7V

2.Capability of battery: 2200mAh

3.Light intensity:1200-2000mw/cn

4.Light wavelength:420-480nm

5. Solid time and depth: 5s/3mm







UM-C1



Curing Light

1.Original imported big power LED from

USA, colorful metal handle

- 2. High articulation optic fiber
- 3. Three working modes: Strong, flash-

ing, gradually strong

- 4. Automatic power off
- 5. Low battery detection
- 6.Super capacity battery









UM-C2



- 1.5W big power LED plastic shell
- 2. Three working modes: Strong, flashing, gradually strong
- 3. Solidification time: 5-40 secretary
- 4. Automatic power off
- 5.Memory mode: power memory and time memory
- 6.Membrance keybosrd, feel better
- 7. Environment protection plastic handle



UM-YW-01



- 1.Environmentally-friendly white **plastic shell**
- 2.10w high power led
- 3.1 second curing
- 4.Large capacity lithium battery
- 5. Three working mode selection strong, gradually strong, flashing
- 6. Battery voltage: 3.7
- 7. Wavelength: 420-480nm
- 8. Illumination: >2000mW/cm²
- 9.Color: white















- 1. Illumination: >2800mW/cm²
- 2.Battery capacity:2000mA
- 3.light source Wavelength range:

385-515mm

4.Battery: Lithium battery (120 mins)

5.Powder: 5V DC 1A 100-240V AC

50/60HZ

6.charging station built in light meter



